



Rewrite web.config for IIS7

This file sits in C:\deki\web, and instructs IIS's URL Rewrite module how to act.

```
<?xml version="1.0" encoding="UTF-8"?>
<configuration>
    <system.webServer>
        <rewrite>
            <rules>
                <rule name="Add index.php" stopProcessing="true">
                    <match url="^$" ignoreCase="false" />
                    <conditions logicalGrouping="MatchAll">
                        <add input="{URL}" pattern="^/$" ignoreCase="true" />
                    </conditions>
                    <action type="Rewrite" url="/index.php?title="
appendQueryString="true" />
                </rule>
                <rule name="Add index.php with query string parameters"
stopProcessing="true">
                    <match url=".*" ignoreCase="false" />
                    <conditions logicalGrouping="MatchAll">
                        <add input="{URL}" pattern="^/(@api|editor|skins|config|deki)/*"
negate="true" />
                        <add input="{URL}" pattern="^/index\.php" negate="true" />
                        <add input="{URL}" pattern="^/favicon\.ico$" negate="true" />
                        <add input="{URL}" pattern="^/robots\.txt$" negate="true" />
                        <add input="{URL}" pattern="^/error/(.*)\.var$" negate="true" />
                        <add input="{QUERY_STRING}" pattern="^$" ignoreCase="true" />
                        <add input="{UNENCODED_URL}" pattern="/(.*)" />
                    </conditions>
                    <action type="Rewrite" url="/index.php?title={C:1}"
appendQueryString="false" />
                </rule>
                <rule name="Add index.php with query string parameters (no Search)"
stopProcessing="true">
                    <match url=".*" ignoreCase="false" />
                    <conditions logicalGrouping="MatchAll">
                        <add input="{URL}" pattern="^/(@api|editor|skins|config|deki)/*"
ignoreCase="true" negate="true" />
                        <add input="{URL}" pattern="^/index\.php" ignoreCase="true" />
                    </conditions>
                    <action type="Rewrite" url="/index.php?title={C:1}"
appendQueryString="false" />
                </rule>
            </rules>
        </rewrite>
    </system.webServer>
</configuration>
```

```
<add input="{URL}" pattern="^/error/(.*)\.var$"
ignoreCase="true" negate="true" />
    <add input="{UNENCODED_URL}" pattern="/([^\?]*\?)(.*)$" />
</conditions>
<action type="Rewrite" url="/index.php?title={C:1}&{C:2}"
appendQueryString="false" />
</rule>
</rules>
</rewrite>
<security>
    <requestFiltering allowDoubleEscaping="true" />
</security>
</system.webServer>
</configuration>
```

